



Min width nominal  
pipe dia + 50



**Linflex Type 6 Fin Drain**



**INSTALLATION PROCEDURE**

The product shall be installed in accordance with MCHW 2001 edition, Volume 1, subclause 514.11, Volume 3, Drawing F19.

The drainage pipes used, must be perforated or porous and must comply with the requirements of MCHW, Volume 1, sub-clause 501.3 :2001 edition

- Surround and backfill material to S.H.W Clause 514 :2001 Edition
- In situ soil

S.H.W = Specification for Highway Works

**NOTES:**

- 1.- All dimensions or nominal and in millimetres
- 2.- Please note that S.H.W. limits the maximum diameter of the perforated pipe to 100mm Polypipe Civils manufacture this type of drain with larger diameter pipes, however they are not BBA approved
- 3.- This document is uncontrolled and updates will not be issued automatically

This information is for guidance purposes only. Please note that we may change the information from time to time, for a variety of reasons. This information cannot be relied upon to determine the suitability or installation requirements of our products for your particular site conditions or application: expert advice is required in this respect. Final determination of the suitability of any information or material for your intended use and manner of use is your sole responsibility and you must assume all risk and liability in this regard. This information is not intended to have any legal effect, whether by way of advice, representation or warranty. However, our technical staff will be happy to discuss your particular application and site conditions in further detail.



**Polypipe Civils Ltd.**  
**Civils & Agricultural Products**  
 UNION WORKS, BISHOP MEADOW ROAD,  
 LOUGHBROUGH, LEICESTERSHIRE, LE11 5RE,  
 TEL: 01509 615100  
 FAX: 01509 615205

DRAWING STATUS:		<b>FOR INFORMATION</b>	
DRAWING TITLE		TYPE 6 FIN DRAIN DETAIL	
PROJECT REF:	SCALE	CAD File:	REV
16119D1.DWG	NOT TO SCALE	16119D1.DWG	
POLYPipe DRAWING No.		DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED	
TD/16119/D1			
DRAWN BY		DATE	
IDA		16/05/02	
CHECKED			
CHANGES			